


CASEWOOD STUDIOS

LIORA DINING CHAIR CANE

FT-STB01-01-02-01 / FT-STB01-01-02-02



ASSEMBLY INSTRUCTIONS

Introduction

Please read all instructions first.

All you need to assemble your unit is a Phillips screwdriver.

Before you begin, take some time to check all parts against the hardware and parts list on the next pages.

Please place all parts on a soft cloth or carpet to prevent scratching during assembly.















To avoid collapse or injury, DO NOT stand on this unit.
DO NOT stack heavy objects on this unit.
NEVER allow children to climb or hang on unit.

Care and Maintenance


Clean with a soft damp cloth.

Should a deep scratch or gouge occur, we recommend touch up with a matching paint or stain available in most hardware stores.


PARTS & HARDWARES

aa = 8 pcs +1 Extra	Long Bolt	bb = 2 pcs +1 Extra	Medium Bolt	cc = 4 pcs +1 Extra	Short Bolt	dd = 10 pcs +1 Extra	Spring Washer
							
ee = 10 pcs +1 Extra	Spacer	ff = 1 pc	Allen Wrench	gg = 2 pcs +1 Extra	Long Wood Screw	hh = 12 pcs +1 Extra	Short Wood Screw
							
ii = 6 pcs +1 Extra	Corner Plate	jj = 2 pcs +1 Extra	Dowel	kk = 4 pcs +1 Extra	Wooden Plug	Tool Required (Not Included)	
							

- A. BACK PANEL 1X
- B. SEAT PANEL 1X
- C. LEFT ASSEMBLY 1X
- D. RIGHT ASSEMBLY 1X
- E. BACK RAIL 1X
- F. APRON 2X
- G. STRETCHER 1X




1




Attach Corner Plates (ii) to Left and Right Assemblies (C) and (D) and Aprons (F) using Short Wood Screws (hh).

2




- * Attach Back Rail (E) to Left Assembly (C) using Medium Bolt (bb), Spring Washer (dd), Spacer (ee) and Dowel (jj).
- * Attach Aprons (F) to Left Assembly (C) using Long Bolts (aa), Spring Washers (dd) and Spacers (ee).
- * Attach Bolts using Allen Wrench (ff) only halfway this time.
- * Attach Stretcher (G) to Left Assembly (C) using Long Wood Screw (gg) Note: Attach Long Wood Screw (gg) only halfway this time.

3




- * Attach Back Rail (E) to Right Assembly (D) using Medium Bolt (bb), Spring Washer (dd), Spacer (ee) and Dowel (jj).
- * Attach Aprons (F) to Right Assembly (D) using Long Bolts (aa), Spring Washers (dd) and Spacers (ee).
- * Tighten all Bolts using Allen Wrench (ff) (including Bolts in Step 2)
- * Attach Stretcher (G) to Right Assembly (D) using Long Wood Screw (gg) Note: Tighten Screws (including Srew in Step 2)

4




Place Seat Panel (B) upside down on a table, then attach unit to Seat Panel (B) using Short Wood Screws (hh).

5



- * Attach Back Panel (A) to unit using Short Bolts (cc).
- * Tighten Short Bolts (cc) using Allen Wrench (ff).

6



* Attach Wooden Plugs (kk) to unit.

* Adjust the adjuster that has attached to the legs to stabilize your unit.